


A modern glass canopy is installed over a wooden door. The canopy is made of clear glass panels held together by a metal frame. Integrated LED lighting is visible along the top and bottom edges of the canopy. The door is made of wood with a vertical grain and has a long, thin metal handle. The building is white with large windows above the door. The scene is set at dusk or dawn, with a soft blue sky.

CANOPY FITTING BY GLASOFIT



GL-CF-11



• Wall to Rod Canopy Fitting

- **Application** Wall to Rod Canopy Fittings
- **Material** SS-304

For Glass Thickness in mm

8-10

Finish ☐ CP ☐ MATT ☒ Black

GL-CF-12



• Rod to Glass Canopy Fitting

- **Application** Rod to Glass Canopy Fitting
- **Material** SS-304

For Glass Thickness in mm

8-10

Finish ☐ CP ☐ MATT ☒ Black

GL-CF-13



• Wall to Glass Canopy Fitting

- **Application** Wall to Glass Canopy Fittings
- **Material** SS-304

For Glass Thickness in mm

8-10

Finish ☐ CP ☐ MATT ☒ Black

GL-CF-14



• Connecting Rod Canopy Fitting


- **Application** Connecting Rod Canopy Fittings
- **Material** SS-304

For Glass Thickness in mm

8-10

Finish ☐ CP ☐ MATT ☒ Black

GL-CF-15



- Wall to Glass Canopy Fitting


- **Application** Wall to Rod Canopy Fittings
- **Material** SS-304

For Glass Thickness in mm

8-10

Finish ☐ CP ☐ MATT ☒ Black

GL-CF-16



- Rod to Glass Canopy Fitting


- **Application** Rod to Glass Canopy Fitting
- **Material** SS-304

For Glass Thickness in mm

8-10

Finish ☐ CP ☐ MATT ☒ Black

GL-CF-17



- Wall to Glass Canopy Fitting

- **Application** Wall to Glass Canopy Fittings
- **Material** SS-304

For Glass Thickness in mm

8-10

Finish ☐ CP ☐ MATT ☒ Black

GL-CF-18



- Rod Jointer Canopy Fitting

- **Application** Rod Jointer Canopy Fittings
- **Material** SS-304

For Glass Thickness in mm

8-10

Finish ☐ CP ☐ MATT ☒ Black

Premium Range



Scan Me



SPIRE TECHNOKRAFT

📍 Glasofit
Office No. 201-2-3,JP Tower,
Tagor Road,Rajkot-360002
Gujarat-India

✉️ glasofit@gmail.com

☎️ +91 87805 76337

📞 +91 87805 76337

🌐 www.glasofit.com